



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/018,443	12/12/2001	Carlo Farina	P32330	7781

20462 7590 08/19/2003

SMITHKLINE BEECHAM CORPORATION
CORPORATE INTELLECTUAL PROPERTY-US, UW2220
P. O. BOX 1539
KING OF PRUSSIA, PA 19406-0939

EXAMINER

HABTE, KAHSAY

ART UNIT	PAPER NUMBER
----------	--------------

1624

DATE MAILED: 08/19/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Applicati n No.

10/018,443

Applicant(s)

FARINA ET AL.

Examiner

Kahsay Habte, Ph. D.

Art Unit

1624

-- The MAILING DATE of this communication appears n the cover sheet with the correspondenc address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 17 July 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 and 26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-20 and 26 is/are allowed.
- 6) ☒ Claim(s) 21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

DETAILED ACTION

1. Claims 1-21 and 26 are pending.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 21 is rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for many of the diseases recited in claim 21, does not reasonably provide enablement for tumors and autoimmune diseases. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to use the invention commensurate in scope with these claims. There has been recited a method of treating tumors and autoimmune diseases in general, but the specification is not enabled for such a scope.

In regard to tumors in general, see item 2 (Paper No. 6) for details.

Response to arguments

Applicants' arguments filed 07/17/2003 have been fully considered but they are not persuasive.

Applicants have deleted "solid tumors" from claim 21; but forgot to remove "tumors" from claim 21. Even though applicants delete solid tumors from the claim, they argue by indicating a support on page 13 of the specification. Applicants argue that

Art Unit: 1624

"solid tumors are conditions dependent on angiogenesis. The examiner has already considered enabled the treatment of angiogenic diseases; accordingly, the treatment of solid tumors, as they depend on angiogenesis, also should be considered enabled."

The examiner disagrees with applicants. Note that there is no mention of tumors on page 13 of the specification. Not All solid tumors are angiogenic. Further, strictly speaking, tumors are "angiogenic diseases" per se. a example of angiogenic disease is coronary artery disease. Angiogenesis plays a role in the development of some tumors. Applicants are invited to refer the article by Pezzella et al. (American Journal of Pathology Vol. 15, November 1997) that indicates that non-small cell lung cancers are non-angiogenic.

In regard to the seven references and cited references, the examiner did not consider them since applicants did not provide said references.

The treatment of "autoimmune diseases" generally would be an unprecedented feat. For a compound or genus to be effective against "autoimmune diseases" generally is contrary to medical science. The "autoimmune diseases" are processes which can take place in virtually any part of the body. There is a vast range of forms that it can take, causes for the problem, and biochemical pathways that mediate the inflammatory reaction. There are dozens of such diseases, which have fundamentally different mechanisms and different underlying causes. Known autoimmune disorders include multiple sclerosis, autoimmune uveitis, rheumatoid arthritis, Addison's disease, thyroiditis, atrophic gastritis, myasthenia gravis, idiopathic thrombocytopenic purpura,

Art Unit: 1624

hemolytic anemia, systemic lupus erythematosus, primary biliary cirrhosis, Wegener's granulomatosis, polyarteritis nodosa, erythema nodosum leprosum, autoimmune uveitis, Guillain-Barré syndrome (GBS), allergic encephalomyelitis, acute necrotizing hemorrhagic encephalopathy, idiopathic bilateral progressive sensorineural hearing loss, aplastic anemia, pure red cell anemia, polychondritis, scleroderma, Stevens-Johnson syndrome, idiopathic sprue, lichen planus, Crohn's disease, Graves ophthalmopathy, sarcoidosis, primary biliary cirrhosis, type I diabetes, autoimmune optic neuritis, uveitis posterior, or interstitial lung fibrosis, alopecia, Sjogren's Syndrome, Goodpasture Syndrome, Myasthenia Gravis, inflammatory bowel disease and many more.

There are both chronic and acute "autoimmune diseases", most of which lack satisfactory treatment. The intractability of these disorders is clear evidence that the skill level in this art is low relative to the difficulty of the task. Under such circumstances, it is proper for the PTO to require evidence that such an unprecedented feat has actually been accomplished. The failure of skilled scientists to achieve a goal is substantial evidence that achieving such a goal is beyond the skill of practitioners in that art, *Genentech vs. Novo Nordisk*, 42 USPQ2d 1001, 1006.

Since no compound has shown clinical efficacy against all autoimmune diseases, thus no *in vivo* or *in vitro* assay could be validated for the identification of such a general agent. Applicants' specification logically must lack such assay data.

In fact, there are four basic mechanisms underlying autoimmune disease: 1. Antibody mediated diseases: a specific antibody exists targeted against a particular

Art Unit: 1624

antigen (protein), which leads to its destruction and signs of the disease. Examples are: auto-immune mediated hemolytic anemia, where the target is on the surface of the red blood cell; myasthenia gravis where the target is the acetylcholine receptor in the neuromuscular junction; hypoadrenocorticism (Addison's) where the targets are the cells of the adrenal gland.

2. Immune-complex-mediated diseases: antibodies are produced against proteins in the body. These combine into large molecules that circulate around the body. In systemic lupus erythematosus (SLE) antibodies are formed against several components in the cell's nucleus (hence the anti-nuclear antibody test (ANA) for SLE). Most notably antibodies are made against the body's double stranded DNA, and form circulating soluble complexes of DNA and antibody, which break down in skin causing an increased sensitivity to ultraviolet light and a variety of signs. As the blood is filtered through the kidneys, the complexes are trapped in the glomeruli and blood vessels, causing the kidney to leak protein - glomerulonephritis. They also cause leakage in other blood vessels, and there may be hemorrhaging, as well as accumulating in synovial fluid and causing signs of arthritis and joint pain. Rheumatoid arthritis results from immune complexes (IgM class antibody called rheumatoid factor) against part of the patient's own immune system (part of its IgG molecules). These form complexes that are deposited in the synovia of the joint spaces causing an inflammatory response, joint swelling, and pain. The collagen and cartilage of the joint breaks down and is eventually replaced by fibrin which fuses the joints - ankylosis.

3. Antibody and T Cell-mediated diseases: T cells are one of two types (the other being B-cells), which mediate immune reactions. Upon

Art Unit: 1624

exposure to a particular antigen, they become programmed to search for and destroy that particular protein in future. Once a patient has been exposed to an antigen, he will be able to mount a much faster response to it the next time it encounters it. This is the basis of vaccination. Thyroiditis (autoimmune hypothyroidism) seems to be of mixed etiology. Several target antigens have been identified, including thyroglobulin the major hormone made by the thyroid. Auto-antibodies to antigens in the epithelial cells of the thyroid have also been found. The thyroid becomes invaded by large numbers of T and B cells as well as macrophages, which are cells that engulf and destroy other cell types. T cells specifically programmed for thyroglobulin have been identified. 4. Diseases arising from a deficiency in complement: When an antigen and antibody react they may activate a series of serum enzymes (the complement system) whose end result is either the lysis (breakup) of the antigen molecule or to make it easier for phagocytic cells like the macrophages to destroy it. Patients with deficiencies in enzymes activated early in the complement system develop autoimmune diseases like SLE.

Thus, with such differing mechanisms, it is not logical that a treatment for autoimmune diseases generally can be found.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kahsay Habte, Ph. D. whose telephone number is (703) 308-4717. The examiner can normally be reached on M-F (9.00AM- 5:30PM).

Art Unit: 1624

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mukund Shah can be reached on 703-308-4716. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-4556.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1235.



Kahsay Habte, Ph. D.
Examiner
Art Unit 1624



Mark L. Berch
Primary Examiner
Art Unit 1624

KH
August 15, 2003